


FIG. 1



- VSV/HIVLuc antiviral reporter signal/background~ 10^3 RLU, Z' value = 0.72.
- HeLa HRLuc cytotoxicity reporter signal/background~ 10^4 RLU, Z' value = 0.88.

DUAL ASSAY FOR EVALUATING ACTIVITY
AND CYTOTOXICITY OF COMPOUNDS IN THE
SAME POPULATION OF CELLS: IMPROVED
LUCIFERASE GENES AND USES THEREOF
WADE STANTON BLAIR, ET AL.
ATTORNEY DOCKET NO. PC25522A

2/5

FIG. 2






FIG. 3A



- Ten mock plates containing wells with known inhibitors screened (880 wells)
- Known inhibitors reproducibly identified as hits
- Expected distribution of well activity observed

FIG. 3B




Ten mock plates containing wells with known inhibitors screened (880 wells)
Known inhibitors reproducibly identified as hits
Expected distribution of well activity observed

DUAL ASSAY FOR EVALUATING ACTIVITY
AND CYTOTOXICITY OF COMPOUNDS IN THE
SAME POPULATION OF CELLS; IMPROVED
LUCIFERASE GENES AND USES THEREOF
WADE STANTON BLAIR, ET AL.
ATTORNEY DOCKET NO. PC25522A

4/5

FIG. 4



- 1936 wells screened
- Hit identification highly reproducible

FIG. 5

5/5

ATGACCTCCAAGGTGTACGACCCGAGCAGGCCAAGGCCATGATTACCGCCCCCAGGGCCGCTGC
ATGACTTCGAAAGTTATGATCCAGAACAAAGGAACAGGATGATAACTGGTCCCGAGTGGCCAGATGT
AAGCAGATGAAACGTCTGGACAGCTTCAACTACTACGACA**G**GCAGAA**G**CACGCCAGACCCGCGTGA**T**
AAACAAATGAAATGTTCTTGATCATTTAATTATTGATTCAAGAAAACATGGAGAAAATGCTGTTATT
TTCCTGCCACGGCAACGCCAACGCTTACCT**G**TGGCCACGCTTACCATCGAGCC**T**GTCGCCCG
TTTTACATGTAACGGGCCCTCTTATTGACATGTTGACATGGCCACATATTGAGCCAGTAGGCCAG
TGCA**T**ATCCC**T**GACCTGATCGGCATGGCAAA**G**GGGGCAACGG**C**A**G**CTTACCC**C**TG**G**AC
TGTATTACAGACCTTATTGGTATGGCAAAATCAGGCCAAATCTGGTAATGGTTCTTATAGGTACTGAT
CACTACAAGTACCTGACCGCCCTGGTTGAGCT**G**CT**G**AA**C**CT**G**CC**A****T**GGCAAGGATCATCTCGTGGCCACGAC
CATTACAAATATCTTACTGCATTGCTTAATTAGCTATGAGCATCAAAGATAAGATCATTTTGTGCGCCATGAT
TGGGGCCTGCCTGC**A****C**ACTACAGCTACGAGCTAC**G**CC**A****C**AGGACAAGGATCAAA**G**CC**A****C**ATCG**C**CTGAT**C**AAG**G****C**
TGGGGTGCCTGTTGGCATTTCATTGCTTAATTAGCTATGAGCATCAAAGATAAGATCAAAGCAATAGTTCACGCTGAA
AGCGTGGTGGACGTGATCGAG**G**AG**G**CTGGGACGGAGCTGGCCCTGACATCGAGGGACATCG**C**CC**A****C**ATCG**C**CTGAT**C**AAG**G****C**
AGTGTAGTAGATGTGATTGAATCATGGGATGAATGGCTGATATTGAAGGAAGATATTGCGTTGATCAAATCT
GAGGAGGGCGAGAAGATGGTGTGGAGACCAACTTCTTGTGGAGATAACTTCTTGTGGAAACCATTGTC
GAAGAAGGAGAAAAAYGGTTTGGAGAATAACTTCTTGTGGAAACCATTGTC
AAGCTGGGCC**T**GAGGA**G**TTGCCGCC**T**ACCTGG**A****G**CC**C****T**CAAGGAGAAGGCGAGGTGGCC**C****T**ACC
AAGTTAGAACAGAACAAATTCCAGCATATTCTGAACCATTCAAGAGAAAGGTGAAGTTCGTGGTCCAAACA
CTGAGCTGGCCCTCGCGAGATCCC**T**CTGGTGAAGGGGCCAAG**G**CTGAC**G**AT**G**CT**G**CC**A****C****T**
TTATCATGGCCCTCGTGAATCCC**T**TAAGTGTGATGATTTACCAAAATGTTAGTGAACATTGTTAGGAATTAT
AACGCCCTACCTGGGCCAGGAC**C**CTGCC**A****G**AT**G**TT**C**AT**G**AG**G**GC**A****C****T**GG**C****A****C****T**
AATGCTTATCTACGTGCAAGTGTGATGATTTACCAAAATGTTAGTGAATCGGACCTGTTCCAAAT
GCCATCGTGGGGCCCAAGAACCGAG**T**CCCTAA**C**CCGA**G**TT**C**GT**G**AA**G**GT**G**AG**G**CC**C****T****G**CA**C****A****G**
GCTATTTGTTGAAGGTGCCAACGAAG**T**TTCCCTAAAGTAAACTGAATTTGTC
GAGGACGCCCTGAC**G**ATGGGCCAAGTACATCAAG**G**GT**G**CC**C****T**GG**A****C****G**GT**G**CT**G**AA**G**GAAC**G**CC**A****G**
GAAGATGCAACCTGATGAAATGGGAAATAATCATCAAATCGTTGAGCGAGTTCTCAAAATGAACAATAA

Top strand is HRLUC

Bottom strand is wild-type *Renilla* luciferase